



The
Patent
Office

PCT/EP+ 98/03951

EP 99/3951

REC'D 19 JUL 1999

INVESTOR IN PEOPLE

**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

09/719183

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 2 June 1999

THIS PAGE BLANK (USPTO)

09JUN98 E366417-1 010011
P01/7700 25.00 - 9812278.1

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

9 JUN 1998

1. Your reference

CV-0275 GB

2. Patent application number

(The Patent Office will fill in this part)

09 JUN 1998

9812278.1

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Bristol-Myers Squibb Company
345 Park Avenue
New York
New York 10154
United States of America

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

Delaware, USA

444 8982001

4. Title of the invention

USE OF A WOUND DRESSING IN THE TREATMENT OF ACUTE WOUNDS.

5. Name of your agent (if you have one)

Julie MAYS

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Bristol-Myers Company Limited
Swakeleys House
Milton Road
Ickenham, Uxbridge UB10 8NS
United Kingdom

Patents ADP number (if you know it)

73740

6222 406002

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

Yes

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 8

Claim(s) 2

Abstract

Drawing(s)

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77) 1

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

Date

Julie Mays

4 June 1998

12. Name and daytime telephone number of person to contact in the United Kingdom

Julie MAYS
01895 628209

04 June 1998

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

USE OF A WOUND DRESSING IN THE
TREATMENT OF ACUTE WOUNDS

This invention relates to the use of a wound dressing for the treatment of burns and other acute wounds and in particular the use of a dressing as a replacement for a biological dressing in the treatment of an acute wound.

Acute wounds which result in loss of skin, such as burns, require treatment in a variety of ways depending on size, severity and location. For instance a burn in which only the outer layer of skin is burned over a small percentage of the total skin surface can be treated with first aid measures in the home. There are many kinds of dressing available for these types of burns.

With burns in which perhaps all the layers of skin are damaged, and sometimes fat, nerve, muscle and tendon are involved or where a large percentage of the total skin surface is damaged it is usually necessary to use some form of skin graft or biological dressing to cover the wound and aid healing.

It is not always possible to take skin grafts from the patient (autograft) due to the extent of burning. In such circumstances biological dressings are the only alternative. Such dressings have many functions and take many forms. Some of their functions include preventing desiccation of the wound surface, decreasing evaporative water loss, decreasing heat loss, reducing bacterial proliferation, decreasing wound pain, protecting exposed tendons and nerves, and enhancing healing. Examples of biological dressings include naturally occurring

tissues such as cutaneous allografts, cutaneous xenografts or amniotic membranes; skin substitutes such as synthetic laminates, collagen based composites or collagen based dermal analogs; and culture derived tissue such as cultured autologous keratinocytes and fibroblast seeded dermal analogs.

Biological dressings can also be used as temporary covers over wounds that are subsequently covered by culture derived grafts and over wounds that have been treated with cutaneous widely expanded mesh grafts or culture derived grafts which leave open wound areas to achieve wound closure.

Biological dressings are sophisticated and therefore tend to be expensive and can carry the same risks of cross-contamination that are encountered with blood and blood products.

There therefore exists a need for a dressing that can be used to treat acute wounds, which performs in a similar manner to a biological dressing but mitigates the disadvantages of high cost and risk of contamination encountered with biological dressings.

Surprisingly we have found that certain wound dressings known for use in other treatments, such as the treatment of chronic wounds, can behave like a biological dressing and can reduce the need for autograft.

Accordingly the invention provides the use of a wound dressing for the preparation of a substitute for a biological dressing for use in the treatment of acute wounds and in particular the

treatment of wounds which contain epithelial remnants like partial thickness burns.

Such wound dressings do not have the disadvantages of high cost and cross contamination that may be encountered with biological dressings.

We have found that a wound dressing, to be suitable as a substitute for a biological dressing preferably is adherent to the wound without preventing the outgrowth of the epithelium. This is truly surprising since conventional wisdom teaches that wound dressings should not adhere to the acute wound and many known dressings are provided with measures to avoid adherence such as being impregnated with paraffin or being coated with silicone. We have found that an adherent dressing has advantages over the prior art dressings which allow the dressing to be used in those situations where a biological dressing would otherwise be used.

We have also found that wound dressings suitable as replacements for biological dressings preferably promote the migration of enzymes, neutrophils, fibroblasts and cellular debris into the dressing. Whilst not wishing to be bound by theory we believe that this migration, which we term as "vertical wicking", modulates the inflammatory response of the wound and contributes to successful healing of the wound.

Accordingly the invention provides the use of a wound dressing for the preparation of a substitute for a biological dressing for use in the treatment of acute wounds by adhering to the wound and providing conditions conducive to epithelial

outgrowth.

According to a further aspect, the invention provides the use of a wound dressing for the preparation of a substitute for a biological dressing for use in the treatment of acute wounds ~~and particularly partial thickness burns by promoting vertical~~ wicking into the dressing and thereby modulating inflammatory response.

In particular we have found that certain fibrous wound dressings are suitable for use in the present invention. The wound contact layer is fibrous and can comprise fibres of alginate, viscose, modified cellulose, cellulose, polyester, polypropylene and co-polymers thereof, pectin, chitosan fibres, hyaluronic acid fibres or other polysaccharide fibres or fibres derived from gums. Most preferred are highly absorbent fibres such as, modified cellulose fibres as described in W093/12275 to Courtaulds Plc or WO 94/16746 to Courtaulds Plc and alginate fibres as described in WO 94/17227 to E.R. Squibb and Sons. By "highly absorbent" with respect to the fibre it is meant that they can absorb at least 25 g/g of deionized water. The fibres for use in the wound layer may also be mixed or blended to form a composite layer or may be fibres made of a mixture of any of the above ingredients. Preferably fibrous wound dressings include those described in W094/16746 to Courtaulds Plc which discloses wound dressings made from carboxymethyl cellulose filaments.

It is particularly surprising that a fibrous dressing has this effect because biological dressings are occlusive in order to provide a barrier to bacteria. A fibrous dressing has an open

structure and therefore would not be expected to behave like a biological dressing.

A wound dressing made from carboxymethyl cellulose filaments is marketed as Aquacel® ex ConvaTec for use in the treatment of chronic wounds such as ulcers or pressure sores. We have observed that when Aquacel® is used on burns it exhibits surprising behaviour in that it adheres to the wound bed without blocking epithelial outgrowth. This type of behaviour would usually only be seen with a biological dressing such as allograft.

In the context of the present invention, biological dressings are: naturally occurring tissues such as cutaneous allografts, cutaneous xenografts or amniotic membranes; skin substitutes such as synthetic laminates, collagen based composites or collagen based dermal analogs; and culture derived tissue such as cultured autologous keratinocytes and fibroblast seeded dermal analogs.

Preferably the wound dressing of the present invention is used on acute wounds which are forming exudate. These tend to be partial thickness burns.

The invention will now be illustrated by way of the following non-limiting examples.

Example 1

Comparison of Aquacel with a biological dressing on second degree burns

Dressing materials used for the treatment of second degree burns ideally fulfill a number of demands. In addition to pain ~~reduction, prevention of dehydration and infection, minimising~~

the risk of hypertrophic scarring is an important feature. Cadaver allograft skin provided by the Euro Skin Bank was applied to the wound bed of second degree burns on the day of the burn or the first day post burn. In approximately 60% of burns treated the allograft became adherent to the wound, thereby reducing the risk of infection, regulated fluid loss and dried out to form a crust as wound healing was in progress. After 14 days the allograft was removed to reveal pale pink skin which had no signs of an inflammation reaction.

Aquacel® was used on 58 patients with second degree burns. It was applied to the wound on the first day post burn and in 80% to 90% of burns treated became adherent to the whole wound surface. Aquacel® dried out to form a crust as wound healing progressed and was easily peeled off once the wound had healed. Patients reported no pain or disruption of the newly formed skin. The healed skin had a stable, pale pink appearance with no signs of inflammation.

These results show the similarity in action of Aquacel® to allograft skin. They also show that the incidence of Aquacel® becoming fully adherent to the wound was greater than that with allograft skin which makes Aquacel® a more reliable treatment for wounds than allograft skin.

Example 2

Partial thickness wounds were made on the back of male Wistar rats. The wounds were covered with Aquacel and fixed in place with silk tape. After 3 to 7 days the rats were sacrificed and ~~the wound tissues frozen in liquid nitrogen so that~~ cryosections could be prepared. The cryosections were stained with haematoxinilin-eosine so that the wound healing process could be evaluated. Specific immuno-histological sections were prepared to identify macrophages.

During the healing process, Aquacel® adhered very well to the wounds. After four days, Aquacel had the form of a moist gel. Once re-epithelialization was complete, the Aquacel® became dry and could be easily removed.

The cryosections showed that the fibres of Aquacel® had fully swelled leaving no interfiber spaces. This suggests that Aquacel® had vertically wicked the wound exudate away from the wound along with cellular debris and enzymes. We believe that this property of vertical wicking creates an environment where the inflammatory response of the wound is modulated and this provides optimal conditions for the outgrowth of the epithelium and wound healing.

This theory is supported by the fact that there were no signs of infection in the wound and bacteria were not observed in the cryosections.

Example 3Use of Aquacel as a temporary cover over excised and skin transplanted wounds

~~Patients with extensive burns are often treated with autologous~~
expanded mesh skin transplants. As these are susceptible to desiccation and infection the wound area is "closed" by the use of split skin allografts over the autologous transplants. Allografts are often not available and have the disadvantages of cost and contamination risk. As an alternative to allografts, synthetic biological dressings have been used but these often disrupt the outgrowth of the epithelium, a phenomenon known as blocking.

In several patients it was observed that the excision of burned tissue and transplantation with either autologous skin micrografts or skin meshgrafts, could be combined with Aquacel® as a temporary covering material. With Aquacel® no blocking of the outgrowth of the epithelium was observed.

These results show the superior performance of Aquacel® when used as a replacement for a biological dressing.

Claims

- 1) Use of a wound dressing for the preparation of a substitute for a biological dressing for use in the treatment of acute wounds.

- 2) Use of a wound dressing for the preparation of a substitute for allograft skin for use in the treatment of acute wounds.
- 3) Use of a wound dressing in the preparation of an adherent temporary cover for use in the treatment of acute wounds.
- 4) Use of a wound dressing as claimed in any preceding claim wherein the wound dressing is fibrous.
- 5) Use of a wound dressing as claimed in claim 4 wherein the wound dressing comprises fibres of carboxymethyl cellulose.
- 6) Use of a wound dressing for the preparation of a substitute for a biological dressing for use in the treatment of acute wounds by adhering to the wound and providing conditions conducive to epithelial outgrowth.
- 7) Use of a wound dressing for the preparation of a substitute for a biological dressing for use in the treatment of acute wounds by promoting vertical wicking into the dressing, thereby modulating inflammatory response.

- 8. A wound dressing for use in the treatment of burns which promotes vertical wicking into the dressing and thereby modulates inflammatory response.
-
-

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)